

Hexagon Starr By: Kaye Wood

Materials:

1. 1 fat eighth*large scale print for center hexagon
2. 1 fat quarter**cream or light print for triangles
3. $\frac{3}{4}$ matching/harmonious prints for inner and outer borders and for backing.
4. 1 fat eighth complimentary or contrast print for middle border
5. 19" or 20" square of batting if desired
* fat eighth = 9" x 20"
**fat quarter = 18" x 20"

1. From large scale print cut:
1 – 8" center hexagon – fussy cut to center a motif in the center of the hexagon
2. From cream/light print cut:
2 (4-3/4" wide) strips for folded triangles. Press strips in half lengthwise. From folded strips cut 6 (4-3/4" wide segments
3. From matching print cut:
1 (18-1/2") sq for backing
3 (1-3/4") wide strips; then cut from strips:
3 (1-3/4" x 5") border strips (#1)
3 (1-3/4" x 8") border strips (#2)
3 (1-3/4" x 8") border strips (#5)
3 (1-3/4" x 11") border strips (#6)

4. From complimentary/contrast print cut:

3(1-3/4" wide) strips: then cut:

3 (1-3/4" x 6-1/2") strips (#3)

3 (1-3/4" x 9-1/2") strips (#4)

Sewing Supplies:

Sewing machine with 1/4" foot attachment

Thread color match your project

Scissors, needles, pins

Rotary cutter and cutting board

Ruler to be used with rotary cutter

Iron and pressing surface


Plus any or all items you normally use when stitching either by hand or with your sewing machine.

Assembly:

1. Place triangles around cut hexagon center piece – pin in place - stitch down.
2. Add border #1 strips to center, pin, stitch down and trim.
(Note: Alternate border strips on every other triangle. Follow same placement when adding second and third borders.)
3. In same manner add 2nd and 3rd borders, trimming after each Border.

Finishing:

- 1 Cut backing 1" larger than quilt top.
- 2 Place backing, wrong side up; then batting, center quilt top, right side up atop of backing. Pin together at center border.
- 3 Fold 1 edge of backing fabric to the front, lining up the edge of the backing with edge of quilt top. Repeat for remaining edges.
- 4 Fold each side of backing to front again the press. Pin in place.
- 5 Top stitch along fold.



Quilt Top Assembly Diagram

*Cut template
from plastic.
Try to keep center
true to forms.*